

T6S-R6W: 2nd Mer.

398	6	411	5	411	4	410	3	410	2	410	1	397
	411	409-411	409-411	409-411	409-410	409-410	409-410	409-410	410			
398	7	409	8	408	9	408	10	408	11	408	12	397
	407	407-409	407-409	407-408	407-408	407-408	407-408	407-408	407			
398	18	406	17	406	16	406	15	406	14	405	13	397
	404-407	405-406	405-406	405-406	405-406	405-406	405	405	405			
398	19	404	20	404	21	404	22	403	23	403	24	397
	402	402-404	402-404	402-404	402-403	402-403	403	403	403			
399	30	402	29	403	28	401	27	401	26	401	25	397
	400	400-403	400-402	400-402	400-401	400-401	400-401	401	401			
399	31	400	32	399	33	399	34	399	35	399	36	398
	463-465	463-465	463-465	463-465	463-465	463-465	464	464	464			

T7S-R6W: 2nd Mer.

	413-416	413-416	413-415	414-415	414-415	414-415	414					
416	6	416	5	415	4	415	3	415	2	418	1	403
	417	418-419	418-419	418-419	418-419	418-419	418-419	418-419	418			
416	7	420	8	419	9	419	10	419	11	418	12	403
	420	420-422	420-422	420-422	420-421	420-421	421	421	421			
417	18	422	17	422	16	422	15	421	14	421	13	403
	423	423-424	423-424	423-424	423-423	423-423	423	423	423			
417	19	424	20	424	21	424	22	423	23			
	425	425-426	425-426	425-426	425-426	425-426	425	425	425			
417	30	426	29	426	28	426	27	425	26			
	427	427-428	427-428	427-428	427	427	427	427	427			
417	31	428	32	428	33	428	34	427	35			
	428-430	429	429	429	429	429	429	429	429			

Ohio R.

Meandering 439

T. No 7. South of Range No 6. West 2nd Mer.

- South On Range line East Side of Sec. No 1.
40. 00 Get a Post from which a W. Oak 20. in? diam? bears N 79.
W. 42. lbs. dist & a Bl. Oak 10. in? diam? bears N. 49. E. 9 lbs. dist
80. 00 Get Post corner to Sec. 1. & 12. from which a Hickory
7. in? diam? bears N. 2. W. 14 lbs. dist & a Birch 8. in? in
diam? bears South 30 lbs. dist Level upland & color Mats.

- South On the East side of Sec 12 T. 7. S. R. 6. W.
40. 00 Get Post. from which a B. Oak 12. in? diam? bears S. 4.
W. 23. lbs. dist & a W. Oak 13. in? diam? bears N. 12. W.
9. lbs. dist
47. 30 A Creek 100 lbs. wide. Course E.
45. 50 A Creek 150 lbs. wide. Course S. 70. W.
80. 00 Get Post corner to Sec. 12. & 13. from which a Mulberry
10. in? diam? bears N. 32. W. 17. lbs. dist & a Boxwood 10.
in? diam? bears S. 10. E. 27. lbs. dist 1st half good hill
Land. 2nd half Creek Bottom. &c. &c.

- South On the East side of Sec. 13. T. 7. S. R. 6. W.
3. 50 The Ohio River. Get a Post from which a Boxwood 24.
in? diam? bears S. 51. W. 17. lbs. dist & a Dr 24 in? diam?
bears N 17. E. 13. lbs. dist. Sept. 30th. 1805.

- East Random line between Towns 6. & 7. Sec. 6. & 31.
58. 37 A Temporary Off? Sec Post. {Brushy & Briny
90. 87 Down Steep Bank about 1. 50. lbs. to a Swamp 8. ch? wide
98. 37 Temporary Sec. Post. 1st half mile low flat clay Land.
2nd half Rolling hill land &c.

- East Between Sec. 5. & 32. T. 7. S. R. 6. W.
25. 00 Same in the right side of a Swamp. offset S.
40. 00 A Temporary Off? Sec. Post.
80. 00 A Temporary Sec. Post. The 1st. 60. ch? is low flat. clay
Land. & the balance flat. rolling hill.

- East Continued Between Sec. 4. & 33.
40. 00 A Temporary Off? Sec. Post. rising to the E. Open hill Land.

S. No 7. of No. No 6. W. 2nd Mer.

80. 00 Set a Temporary Post on the Top of a hill

East Continued between Sec. 3 & 34.

30. 00 The top of a high hill. Poor Oak. Land. good building stone.
 40. 00 A Temporary Q^r. Sec. Post, brush flats & gentle hills.
 78. 00 A brush 30. Mts. wide; course N. 20. E.
 80. 00 A Temporary Sec. Post good hill Land. Timber. Oak &c &c.
-

East Continued between Sec. 2 & 35.

6. 00 A Run 50 Mts. wide. course S.
 7. 00 The same brush. course N.
 29. 25 The same brush. course S.
 29. 50 The same brush course N 80. E.
 40. 00 Set a Temporary Q^r. Sec. Post.
 80. 00 Set a Temporary Sec. Post, good hill Land; Timber, Oak.
-

East Continued Between Sec. 1 & 36.

29. 50 A Run 12. Mts. wide. course S. 20. W.
 40. 00 Set a Temporary Q^r. Sec. Post.
 80. 50 Intersected Range line. 100. Mts. S. of the Post.
-

West On true line Between Sec. 1 & 36. S. 6. W. 7. on true line.

40. 00 A Pile 20. in. diam. for Q^r. Sec. Corner.
 50. 50 A Run 12. Mts. wide course S. 20. W.
 54. 00 The same Run . . . course S. 20. E.
 80. 00 Set a Post from which a W. Oak 16. in. diam. bears N.
 30. W. 44. Mts. dist. & a S. Gum 11. in. bears S. 40. E. 44. Mts. dist.
-

South Between Sec. 1 & 2. S. 7. of No. 6. W.

40. 00 Set a Q^r. Sec. Post on the Bank of a brush 60. Mts. wide
 bearing S. 80. E. from which a Birch 20. in. diam. bears
 N. 12. E. 42. Mts. dist. & a Red Bud 8. in. diam. bears S.
 5. W. 38. Mts. dist.
 80. 00 Set a Post Corner to Sec. 1. 2. M. & 12. from which an
 Elm 10. in. diam. bears S. 10. E. 10. Mts. dist. & a S. Gum
 5. in. diam. bears N. M. E. 20. Mts. dist. Oct. 6. 1805.
-

T. 7. S. R. N. 6. W. 2nd Mer

- West Between Sec. 2. & 35. Towns 6. & 7. on true line.
 10. 00 A Run 50. lbs. wide lower G.; Good water.
 40. 00 Set a G^r. Sec. Post on the Bank of a creek. 30. lbs. wide.
 lower N. W. where a W. Oak 5. in. diam. bears G. 56. W. 46. lbs.
 dist. & a Gum 6. in. diam. bears N. 72. E. 33. lbs. dist.
 80. 00 To Sec. Post.

- South Between Sec. 2. & 3.
 40. 00 Set a Post from which a Poplar 30. in. diam. bears G. 5. W.
 13 lbs. dist. & a W. Oak 18. in. diam. bears N. 40. E. 26. lbs. dist.
 80. 00 Good hill Land. Timber, Oak, Dogwood, &c. Set Post Cor-
 to Sec. 2, 3. 10. 11. from which a Beech 14. in. diam. bears
 G. 14. W. 14. lbs. dist. & a D^r 12. in. diam. bears N. 7. E. 20. lbs. dist.

- West Between Sec. 3. & 34. Towns 6. & 7. on true line.
 40. 00 A W. Oak 6. in. diam. is corner to G^r. Sec.
 80. 00 Set a Post corner to Sec. 3. 4. 33. & 34. from which a
 W. Oak 24. in. diam. bears N. 9. E. 41. lbs. dist. & a Dogwood
 5. in. diam. bears G. 36. W. lbs. dist. Good Upland Oak & &c.

- South Between Sec. 3. & 4.
 40. 00 Set a G^r. Sec. Post. from which a W. Oak 7. in. diam. bears
 G. 75. E. 11. lbs. dist. & a Gum 14. in. diam. bears W. 14. lbs. dist.
 46. 50 A creek 20. lbs. wide.
 80. 00 A W. Oak 30. in. diam. bears N. 29. W. 35. lbs. dist. & a
 Dogwood 6. in. diam. bears G. 54. E. 18. lbs. dist. The 1st.
 half mile Steep descends to the S. not good 2nd half 1st.
 rate Upland.

- West On the N. side of Sec. 4. between Towns 6. & 7. on true line
 40. 00 Set a G^r. Sec. Post where a W. Oak 14. in. diam. bears N. 56.
 W. 37. lbs. dist. & a W. Oak 18. in. diam. bears G. E. 6. lbs. dist.
 80. 00 Set Post on a Hickory 14. in. diam. corner to Sec.
 4. 5. 32. & 33. T. 7. S. R. 6. W.

- South Between Sec. 4. & 5.
 40. 00 Set a G^r. Sec. Post where a Soft Maple 14. in. diam. bears G.

J. N. 7. S. E. N. 6. W. 2nd Mer

J. 24. E. 41. lbs. dist. & a W. Oak 14 in. diam. bears N. 11.
W 41. lbs. dist.

80. 00 A W. Oak 8. in. diam. bears N. 16. E. 11. lbs. dist. & an
Elm 18. in. diam. bears S. 62. W. 20 lbs. dist. Land level.
Brosn Oak &c. Timber.

West On the North side of Tre. 5. between Towns 6. & 7. on true line.
40. 00 Set off Tre. Post; from which a Cotton Wood 30. in. diam.
bears N. 38. E. 19. lbs. dist. & a Soft Maple 24 in. diam.
bears S. 68. 7. - 13. lbs. dist.

80. 00 A Soft Maple 13. in. diam. bears N. 74. W. 18. lbs. dist.
& a S. Maple 12. in. diam. bears N. 86. E. 17. lbs. dist.

South Between Tre. 5. & 6.

5. 00 A Swamp 15. 50. lbs. wide

40. 00 Set a off Tre. Post from which a Poplar 36. in. diam.
bears N. 48. W. 40. lbs. dist. & a W. Oak 11. in. diam. bears S. 7. E. 22 lbs. dist.

80. 00 Set Post corner to Tre. 5. 6. 7. & 8. from which a W. Oak
14. in. diam. bears S. 64. W. 25. lbs. dist. & a Red Oak 36. in.
diam. bears N. 53. E. 27. lbs. dist.

West On true line N. side of Tre. 6. between Towns 6. & 7.

40. 00 Set off Tre. Post; from which a W. Oak 20. in. diam. bears
N. 24. E. 22. lbs. dist. & a Poplar 23. in. diam. bears S.
5. E. 32. lbs. dist.

48. 62 Township Corner. Cold. Swampy Land.

South On the W. side of Tre. 6. J. 7. S. E. 6. W. on West Range line

40. 00 Set a off Tre. Post from which a S. Oak 20. in. diam. bears
N. 47. E. 10. lbs. dist. & a Dogwood 8. in. diam. bears S. 37. W. 32

43. 00 A Brook 10. lbs. wide; good water.

80. 00 Set Post corner to Tre. 1. & 12. J. 7. S. E. 7. W. from
which a Yellow Oak 36. in. diam. bears S. 79. W. 74 lbs.
dist. & a Mulberry 12 in. diam. bears S. 1. W. 28. lbs. dist.
Rolling hill Land. Timber, Oak, &c.

South On the West side of Tre. 7. J. 7. S. E. 6. W.

40. 00 Get a G^o Sec. Post; from which a Maple 12 in? diam.
bears S. 84. W. 44 lbs. dist. & a Maple 11 in? bears S. 82 E. 5. lbs. dist.
80. 00 Get a Post corner to Sec? 12 & 13. in S. 7. S. R. 7. W. where
a Soft Maple bears N. 72. E. 29. lbs. dist. & an Elm 15. in?
diam? bears S. 73. W. 20. lbs. dist. Clay. Cold Flat Land.

- South On the West side of Sec. 18. S. 7. S. R. 6. W.
40. 00 Get G^o Sec. Post; from which a Hickory 12. in? diam? bears N. 39.
E. 23. lbs. dist. & a S Gum 7. in? diam? bears S. 52. W. 24. lbs. dist.
80. 00 Get Post corner to Sec? 18. & 24 S. 7. S. R. 7. W. from which
a Poplar 20. in? diam? bears S. 67. W. 15. lbs. dist. & a Dogwood
7. in? diam? bears E. 19. lbs. dist. 1st half cold flat land
2nd Rolling &c. Timber. Oak &c.

- South On the West side of Sec. 19. S. 7. S. R. 6. W.
40. 00 An Elm 10. in? diam? for G^o Sec. Corner.
80. 00 Get Post corner to Sec? 24 & 25. S. 7. S. R. 7. W. from
which a Gum 14. in? diam? bears N. 30. E. 24. lbs. dist. & a
W. Locust 12. in? diam? bears S. 61. W. 8. lbs. dist.
Level Upland; clayish; Timber. Oak & Hick? Gum &c.

- South On the West side of Sec. 30. S. 7. S. R. 6. W.
40. 00 A Dogwood 6. in? diam? bears N. 10. E. 12. lbs. dist. & a D^o 13.
in? diam? bears S. 18. W. 45. lbs. dist.
80. 00 Over good Oak Timber & Upland & gentle rises; Get a Post.
Corner to Sec? 30. & 31. S. 7. S. R. 6. W. where a Dogwood 6. in?
diam? bears N. 18. E. 21. lbs. dist. & a Gum 8. in? diam? bears
S. 11. W. 33. lbs. dist. Level Upland - Oct. 8th 18. 05.

- South On the Range line West side of Sec 31. Town 7. S. Range 6. W.
37. 10 A Dry run 30. lbs. wide; course S. W.
40. 00 An Ash 8. in? diam? for G^o Sec. Corner.
80. 00 To a W. Oak 13. in? diam? corner to Towns 7. & 8. in
Ranges 6. & 7. West.

- East On a Randon line between Sec? 6. & 7.
- 58 87 A Temporary G^o Sec. Post.

T. 7. S. R. 6. W. 3rd Mer.

98. 08 Intersected 20. lks. S. of the Post. The 1st half low flat Clay Land. 2nd half rolling hill land. Oak & hickory

East On a Random line Between Sec. 5 & 8.
 7. 00 Down a Steep Bank to a Swamp. 30. ch. wide
 40. 00 Set a Temporary Op. Sec. Post.
 67. 00 A creek 15. lks. wide; course S.
 80. 00 Hit the Post on the N. & S. line. Low, level, & swampy

East On a Random line Between Sec. 4 & 9.
 22. 00 A creek 25. lks. wide; course N.
 24. 00 The same creek - - runs S.
 40. 00 A Temporary Op. Sec. Post.
 80. 79 To a Post corner to Sec. 3. 4. 9. & 10. Good hill Land
 Timber. Oak, Poplar.

East On a Random line. Between Sec. 3 & 10. T. 7. S. R. 6. W.
 11. 00 Set a Temporary Op. Sec. post. - Creek flats.
 80. 00 Fell 36. lks. S. of the Post. on the N. & S. line. Land the same

East On a Random between Sec. 2 & 11.
 8. 00 To a Swamp lying nearby E. & W. offset. 12. ch. came on
 line At 40. Set Temporary Post.
 79. 00 To a Sec. Post on the N. & S. line Swampy Briery &c. &c.

East On a Random between Sec. 1. & 13.
 40. 00 A Temporary Op. Sec. Post.
 49. 50 A creek 50. lks. wide. course S. 40. E. Good Open Oak hill.
 80. 00 Hit Post on E. Range line. Land the same as above.
 West On true line
 40. 00 A Hickory 8. in. diam. for Op. Sec. Corner.

South Between Sec. 11. & 13. T. 7. S. Range 6. West.
 40. 00 A Dogwood 6. in. diam. bears S. 1. E. 11. lks. dist. & a Dog
 6. in. diam. bears S. 2. W. 46. lks. dist.
 80. 00 A Hickory 5. in. diam. is corner to Sec. 11. 12. 13. & 14.
 Good Upland Timber W. & B. Oak, &c.

West On true line Between Sec. 2 & 11.
39. 50 A Maple 7. in. diam. bears South 11 lbs. dist. & a Maple
7. in. diam. bears North 46. lbs. dist.

South Between Sec. 10. & 11. T. 7. S. R. 6. W.
8. 00 A Pond 21. 50 lbs. wide. Shallow water.
40. 00 To a G^o Sec. Post; from which a B. Jack 20. in. diam. bears
N. 23. E. 7. lbs. dist. & a Gum 16. in. diam. bears S. 3. W. 24. lbs.
80. 00 Set Post corner to Sec. 10. 11. 14 & 15. from which a B. Oak
10. in. diam. bears N. 68. W. 18. lbs. dist. & a W. Oak 12. in. in
diam. bears N. 78. E. 44. lbs. dist. Good level Upland.

West On true line Between Sec. 3. & 10.
40. 00 A Hickory 6. in. diam. for G^o Sec. corner.

South Between Sec. 9. & 10. T. 7. S. R. 6. West.
40. 00 Set a G^o Sec. Post; from which a Beech 11. in. diam. bears
S. 7. E. 14. lbs. dist. & a D. 14. in. diam. bears N. 15. E. 20. lbs. dist.
80. 00 Set Post corner to Sec. 9. 10. 15. & 16. from which a W.
Oak 18. in. diam. bears S. 38. E. 39. lbs. dist. & a Maple 14. in.
diam. bears N. 57. W. 46. lbs. dist. 1st rate Upland.

West On true line Between Sec. 9. & 14.
40. 39 Set a G^o Sec. Post; from which a Dogwood 7. in. diam. bears
N. 9. lbs. dist. & a B. Oak 11. in. diam. bears S. 70. W. 60. lbs. dist.

South Between Sec. 8. & 9. T. 7. S. R. 6. W.
1. 60 A Creek 10. lbs. wide; course S. 88. W.
40. 00 Set a G^o Sec. Post on a Hickory 6. in. in diam.
60. 00 A Swamp 10 ch. wide
80. 00 Set Post corner to Sec. 8. 9. 16. & 17. from which a Beech
10. in. diam. bears N. 74. E. 25. lbs. dist. & a Sugar 8. in. diam.
bears N. 28. W. - dist.

West On true line between Sec. 5. & 8. T. 7. S. R. 6. W.
40. 00 A Gum 7. in. diam. bears N. 64. E. 13. lbs. dist. & a Gum 18.
in. diam. bears S. 11. W. 14. lbs. dist. Oct. 10th 1805.

T. 7. S. 7. R. 6. W. 2nd Mer.

South Between Twp. 7. & 8. T. 7. S. Range 6. West

34. 75 A Spring; Course E.

40. 00 Set a Off. Sec. Post from which a W. Oak 13. in. diam. bears S. 57. E. 12. lbs. dist. & a D. 10. in. bears N. 16. W. 50. lbs. dist.

77. 75 A Run 10. lbs. wide; Course E.

80. 00 Set Post from which a Maple 8. in. diam. bears S. 6. 9. E. 53. lbs. dist. & an Elm 1 1/2 in. diam. bears N. 65. W. 4 1/2 lbs. dist.
On an Oak ridge; good Soil.

West Between Twp. 6. & 7.

40. 00 Set a Off. Sec. Post from which a W. Oak 10. in. diam. bears N. 44. W. 7. lbs. dist. & a W. Oak 20. in. diam. bears S. 6. E. 17. lbs. dist.

99. 08 To Sec. Corner.

West Between Twp. 7. & 18. Town 7. South Range 6. West

40. 00 Set a Off. Sec. Post; from which a H. Locust 18. in. diam. bears S. 46. E. 10. lbs. dist. & a W. Oak 5. in. diam. bears N. 33. W. 17. lbs. dist. Over a gentle ridge.

98. 78 Hit Post. on Range line. Flat.

East On a Random line Between Twp. 8. & 17.

00 50 A Run 10. lbs. wide. Course S.

40. 00 Set a Temporary Off. Sec. Post in the Middle of a Swamp 5. ch. wide.

50. 00 A Swamp 10. chains wide

80. 00 Hit the Post on the N. & S. Line Swampy. Timber S. Oak & S. Gum

East On a Random line Between Twp. 9. & 16. T. 7. R. 6.

6. 00 A Swamp 200. lbs. wide.

25. 00 A Swamp. 22. ch. wide.

40. 00 Set a Temporary Post in a Swamp. (Off. Sec. Post)

80. 00 Post corner to Twp. 9. 10. 15. & 16. Birch & Oak timber
Upland. A Part of it very rich.

East On a Random line Between Twp. 10. & 15.

30. 00 A Run 25. lbs. wide; Course S.

40. 00 A Temporary Off. Sec. Post.

T. No 7. S. B. No 6. W. 2nd Mer.

80. 00 30. lbs. S. of the Post. Birch & Oak timbered Upland

East Between Sec. 11. & 14. On a Random line.
 40. 00 A Temporary Off. Sec. Post.
 78. 00 Hit the Post. Land as the last. Birch, & Oak timber

East A Random line Between Sec. 12. & 13.
 40. 00 Get a Temporary Off. Sec. Post.
 72. 00 A Creek 16.0. lbs wide; Course S. 60. W.
 80. 00 39. lbs. S. of the Post. Level Land; Birch, & Oak timber
 West On true line.
 40. 00 Get Off. Sec. Post. from which a Hickory 4. in. diam. bears
 S. 1. E. 11. lbs. dist. & a Do 13. in. diam. bears N. 2. W. 46. lbs. dist.

South Between Sec. 13. & 14. T. 7. S. B. 6. W.
 40. 00 Get a Off. Sec. Post. from which a W. Oak 10. in. diam. bears
 N. 80. E. 35. lbs. dist. & an O. Oak 20. in. diam. bears S. 40. E. 29. lbs.
 45. 00 descended to Bottom Land.
 50. 00 A Creek 15.0. lbs. wide. Course S. 70. W.
 63. 78 To the Ohio river; where a Hackberry 16. in. diam. crosses to
 Sec. 13. & 14. The 1st half Oak & Hickory, &c.

West On true line Between Sec. 11. & 14.
 39. 00 Get a Off. Sec. Post. from which a Hickory 4. in. diam. bears
 S. 11. lbs. dist. & a Do 11. in. diam. bears North 68. lbs. dist.

South Between Sec. 14. & 15. Town 7. South Range 6. West.
 23. 25 A Run 20. lbs. wide. runs S. 60. W.
 40. 00 Get Off. Sec. Post. from which a Birch 6. in. diam. bears N. 4.
 E. 11. lbs. dist. & a Do 6. in. diam. bears S. 1. W. 46. lbs. dist.
 80. 00 Get Post on the S. Bank of a Creek 50. lbs. wide. bearing E.
 Corner to Sec. 14. 15. 22 & 23. from which a Birch 5. in.
 diam. bears N. 8. W. 8. lbs. dist. & a Soft Maple 13. in. diam.
 bears S. 2. E. 17. lbs. dist. Level Land; Timber. Birch & Oak.

West On true line Between Sec. 11. & 15. T. 7 S. B. 6. W.
 40. 00 A Hickory 9. in. diam. for Off. Sec. Corner.

T. N. 7. S. C. 6. W. 2nd Mer.

South Between Sec. 15. & 16.

40. 00 To Off. Gr. Post: from which a Hickory 7. in. diam. bears S. 11. lbs. dist. & a W. Oak 19. in. diam. bears N. 2. W. 90. lbs.
 80. 00 To Post Corner to Sec. 15. 16. 21. & 22. from which a
 Birch 12. in. diam. bears S. 55. E. 11. lbs. dist. & a Birch 10.
 in. diam. bears N. 44. W. 44. lbs. dist. 1st rate Upland.

West On true line Between Sec. 9. & 10.

40. 00 To a Off. Gr. Post in a Swamp.

South Between Sec. 16. & 17. Town 7. South Range 6. West.

6. 50 A Swamp 2 ch. wide. E. & W.
 19. 50 A Brook 20. lbs. wide, Course E.
 40. 00 A W. Oak 8. in. diam. for Off. Gr. Corner
 46. 80 A Brook 40 lbs. wide, Course E.
 61. 00 The Same Brook, Course E. 45. lbs. wide.
 65. 00 The Same Brook 50. lbs. wide Course W.
 67. 00 The Same " " " " E.
 80. 00 To Gr. Post from which a Birch 8. in. diam. bears S. 42.
 W. 6. lbs. dist. & a P. 8. in. diam. bears N. 67. E. 32. lbs. dist.
 Timber. Birch & Oak.

West On true line Between Sec. 8. & 17. T. 7. S. C. 6. W.

40. 00 A Off. Gr. Post from which a S. Maple. - in. diam. bears N.
 64. E. 37. lbs. dist. & a Cottonwood 6. in. diam. bears S. 50.
 E. 19. lbs. dist. Oct. 12th 18. 05.

South Between Sec. 17. & 18.

40. 00 A Off. Gr. Post from which a Dogwood 8. in. diam. bears North
 14. lbs. dist. & a P. 8. in. diam. bears South 16. lbs. dist.
 59. 50 A Run 10. lbs. wide. Course E.; no water.
 77. 00 The Same Run 14. lbs. wide Course N. E.
 80. 00 To Gr. Post: from which a Sassafras 14. in. diam. bears
 S. 75. W. 24. lbs. dist. & a B. Jack 8. in. diam. bears N. 75.
 E. 33. lbs. dist. 1st half level Sand. 2nd half. Brook
 flat. Good Soil.

T. 7. S. R. 6. W. 2nd Mer.

- West Between Sec. 18. & 19. T. 7. S. R. 6. W. 2nd Mer.
 40. 00 Get a G^o-Sec. Post from which a Dogwood 7. in. diam. bears
 N 33. E. 15. lbs. dist. to D^o 10. in. diam. bears S. 5. W. 14. lbs.
 99. 50 Hit the Post on Range line. Oak timber; granite rises.

- East Between Sec. 17. & 20. T. 7. S. R. 6. W.
 10. 00 A Run 15. lbs. wide course S.
 12. 00 The Same " " " "
 14. 00 Same Run " " " "
 20. 90 The Same Run 30. lbs. wide course N.
 40. 00 Get a Temporary G^o-Sec. Post.
 79. 00 Intersected N. & S. line 10. lbs. S. of the Post. Birch & Oak flats.

- East On a Random line Between Sec. 16. & 21.
 18. 00 A Creek 40. lbs. wide course S. 20. E.
 20. 00 The Same " " " "
 29. 50 A Creek 50. lbs. wide course N 30. E.
 33. 50 The Same Creek " " " " " "
 80. 00 Hit the Post on the N. & S. line. 1st half low cold clay Soil.
 The 2nd half Rolling. Birch & Oak Timber.

- East On a Random line Between Sec. 15. & 22.
 40. 00 Get a temporary G^o-Sec. Post.
 65. 50 A Creek 20. lbs. wide; course S. W. 4 in. M. ch. more deep; it 3. times
 80. 00 Intersected N. & S. line 5. lbs. N. of the Post. Flat Land. Birch &

- East Between Sec. 14. & 23. T. 7. S. R. 6. W.
 19. 00 A Creek 50. lbs. wide; course S. W.
 22. 50 The Same " " " "
 34. 50 A Creek 50. lbs. wide; course S. W.
 40. 00 A Birch 6. in. diam. for G^o-Sec. corner
 63. 70 A Hackberry 20. in. diam. is corner to Sec. 14. & 23. on
 the Bank of the Chic. — Same Brakes.

- South Between Sec. 22. & 23. T. 7. S. R. 6. W.
 40. 00 Get a G^o-Sec. Post from which a Hickory 6. in. diam. bears
 N. 52. W. 14. lbs. dist. to S. Run 30. in. diam. bears N. 46. E. 27. lbs. dist.

T. N. 7. S. R. 6. W. 2nd Mer.

80. 00 Over flat Birch & Oak timbered land, where a Birch 6. in. diam. bears G. 82. W. 7. lbs. dist. & a Birch 7. in. diam. bears G. 55. E. 21. lbs. dist.

*

South Between Sec. 21. & 22. T. 7. R. 6. W.

20. 00 A creek 50 lbs. wide, course E.
40. 00 Set a Post from which a Birch 15. in. diam. bears N. 50. E. 17. lbs. dist. & a Sugar 17 in. diam. bears G. 85. W. 24. lbs. dist.
80. 00 Set Post corner to Sec. 21. 22. 27. & 28. from which a Sugar 14. in. diam. bears G. 83. E. 22. lbs. dist. & an Elm 8. in. diam. bears G. 72. W. 29. lbs. dist. 1st rate Upland. Timber Birch Oak. Sugar. &c. Oct 17th 1805.

West Between Sec. 16. & 21. Town 7. S. Range 6. West. true line

40. 00 Set a G. Sec. Post, from which a W. Oak 30. in. diam. bears N. 8. W. 41. lbs. dist. & a Box Elder 10. in. diam. bears G. 43. E. 32. lbs.

South Between Sec. 20. & 21. T. 7. S. R. 6. W.

26. 40 A Run 10. lbs. wide course W.
28. 50 The same " " " " E.
37. 90 A creek 12. lbs. wide. course W.
40. 00 A G. Sec. Post, from which a Birch 8. in. diam. bears G. 86. W. 29. lbs. dist. & a Poplar 6. in. diam. bears G. 75. E. 23. lbs. dist.
80. 10 A Sec. Post, from which a Gum 12 in. diam. bears G. 80. W. 24. lbs. dist. & an Elm 6. in. diam. bears N. 88. E. 20. lbs. dist. The 1st half creek Flats, 2nd half Oak Upland.

West Between Sec. 17. & 20. on true line T. 7. R. 6.

40. 15 A G. Sec. Post, from which a B. Oak 12 in. diam. bears G. 40. W. 30. lbs. dist. & a Soft Maple 20. in. diam. bears N. 6. E. 35. lbs.

South Between Sec. 19. & 20.

15. 00 A Run 15 lbs. wide. course N. E.
40. 00 Set G. Sec. Post from which an Elm 10. in. diam. bears G. 67. E. 13. lbs. dist. & a Dogwood 6. in. diam. bears N. 81. W. 21. lbs.
80. 00 Set Post corner to Sec. 19. 20. 29. 30. from which a B. Oak 18. in. diam. bears G. 15. E. 30. lbs. dist. & a W. Oak 18.

T. N. 7. G. R. N. 6. W. 2nd Mer.

Acres N. 28. W. 35 lbs. dist.

West Between Sec. 19. & 30. T. 7. G. R. 6. W.40. 00 Set a G^r Sec. Post from which a B. Oak 30. in. diam.
bears G. 58. E. 16. lbs. dist. & a Sapling 8. in. diam. bears N.
24. W. 6. lbs. dist.

99. 27 Hit the Post in Range line. Open Oak. Timber.

East On a Random line Between Sec. 20. & 29.

40. 00 Good Open Oak, Hickory, growth Upland hills.

Set Temporary G^r Sec. Post.

79. 90 Fell G. of the Post. on the N. & G. line 25. lbs. dist.

East On a Random line Between Sec. 21. & 28.40. 00 Over Birch & Oak Upland. Set a Temporary G^r Sec. Post.

80. 69 Hit Post on N. & G. line. Birch, & Oak, Upland.

East On a Random Between Sec. 22. & 27.

18. 00 A Run 15. lbs. wide. Course N.

40. 00 Set Temporary G^r Sec. Post.

66. 50 A Creek 18. lbs. wide; Course N. E.

80. 20 Intersected N. & G. line 30. lbs. S. of the Post. Very rich
Land. Timber. B. Walnut, Birch, Ash, Oak. &c.

East Between Sec. 23. & 26.39. 25 Ohio river at the lower end of a Sand Island and just
above a very high rock, in the Bank of the River. - An Elm
12. in. diam. bears G. 1. E. 20. lbs. dist. & an Elm 12. in.
diam. bears N. 46. lbs. dist. Land Same. Oct. 18th 1805.

South Between Sec. 26. & 27.40. 00 A G^r Sec. Post from which a Maple 14 in. diam. bears
G. 53. E. 16. lbs. dist. & a Birch 14 in. diam. bears N.
23. W. 16. lbs. dist.

75. 00 A Spring under a ledge of Rocks 40. feet perpendicular

50. 00 Set a Post corner to Sec. 26. 27. 34. & 35. from which
a W. Oak 26. in. diam. bears G. 62. E. 19. lbs. dist. & a

T. 7. S. R. 6. W. 2nd Mer

a Hickory 12. in? diam? bears N. 53. W. 30. lbs. dist.
Beech timbered Upland

West On true line Between Sec. 22. & 27.

40. 00 Get a G^r? Sec. Post. where a Beech 10. in? diam? bears
S. 76. W. 48. lbs. dist. & a D^r 12. in? diam? bears N. 64 E. 20. lbs.

South Between Sec. 27. & 28.

8. 50 A Brook 10. lbs. wide, course W.

21. 00 A Brook 8. lbs. wide. course N. 60. W.

40. 00 Get a G^r? Sec. Post. from which a W. Oak 13. in? diam?
bears E. 33. S. 14. lbs. dist. & a W. Oak 18. in? diam? bears N.
40. E. 7. lbs. dist.

80. 00 Get a Post corner to Sec. 27. 28. 33. & 34. On a B. Gum
The Land is 1st rate Brushy Berries &c. &c.

West On true line Between Sec. 27. & 28.

40. 33 Get a G^r? Sec. Post from which a Gum 24. in? diam? bears
N. 8. W. 22. lbs. dist. & a Hick? 10. in? bears S. 38. E. 24. lbs. dist.

South Between Sec. 28. & 29.

3. 60 A Creek 24. lbs. wide. course E.

40. 00 Get a G^r? Sec. Post from which a Dogwood 6. in? diam? bears
N. 22. W. 15. lbs. dist. & a D^r 5. in? diam? bears S. 86. E. 11. lbs. dist.

80. 00 - a Dogwood 5. in? diam? corner to Sec. 28. 29. 32 & 33. 37 & 38. 67.
Good Oak timbered Upland. - Gentle rises

West Between Sec. 29. & 29. on true line

39. 90 Get G^r? Sec. Post. from which a B. Oak 24. in? diam? bears
S. 7. E. 27. lbs. dist. & a Beech 5. in? diam? bears N. 7. W. 14. lbs.

South Between Sec. 29. & 30. T. 7. S. R. 6. W.

31. 00 A Run 13. lbs. wide course W no Water, good Oak
Upland. Gentle rises;

40. 00 A Dogwood 8. in? diam? for G^r? Sec. corner

80. 00 Get a Post corner to Sec. 29. 30. 31. & 32. from which
a Red Bird? in? diam? bears S. 66. E. 28. lbs. dist. & a
B. Oak 30. in? diam? bears N. 62. W. 47. lbs. Oct. 19th 1805.

- West Between Secs. 30. & 31. Town N. 7. South Range 6. W.
 40. 00 Set a G^r Sec. Post from which a Hickory 12 in. diam.
 bears N. 3. W. 30. lbs. dist. & a Dogwood 8 in. diam. bears
 S. 34. E. 5. lbs. dist.
 98. 99 Hit Post on the W. Range line. Good Open Oak hill Land.

- East Random Between Secs. 29. & 32. T. 7. R. 6. W.
 40. 00 Over good Open. Oak timber & hill Land Set a G^r Sec. Post.
 temporary
 79. 39 Hit the Post. Land the same as above.

- East Random line Between Secs. 28. & 33.
 40. 00 A Temporary G^r Sec. Post; rich Land; small Saplings
 80. 00 Hit the Post.

- East Between Secs. 27. & 34. On a Random line
 40. 00 A Temporary G^r Sec. Post.
 80. 69 Sec. Post on the N. & S. line. The first half on a high ridge.
 light Soil, rather Brierly - 2nd half hilly. Timber Birch &c.

- East Between Secs. 26. & 35. T. 7. S. R. 6. W.
 7. 18 A Creek 10. lbs. wide. Course N. 6.
 40. 00 Set G^r Sec. Post where a W. Oak 10 in. diam. bears S. 17. W.
 26. lbs. dist. & a Hackberry 11 in. diam. bears N. 17. W. 11. lbs. dist.
 53. 00 Chio River, where a Buckeye 28 in. diam. bears North 10. lbs.
 & a Sec. 28 in. diam. bears South 40. lbs. dist. 10 chains good
 hill Land, the rest Bottom Land.

- South Between Secs. 34. & 35.
 40. 00 Set a G^r Sec. Post from which a Birch 6 in. diam. bears
 S. 14. E. 14. lbs. dist. & a Birch 6 in. diam. bears N. 46. lbs. dist.
 50. 00 Set a Post corner to Secs. 34. & 35. 2nd Town 7 & 8 R. 6. W.
 where a Birch 7 in. diam. bears North 11. lbs. dist. & a Birch
 7 in. diam. bears South 46. lbs. dist. Good Soil, Timber,
 Birch, Oak & Dogwood. Oct. 20th 1805.

- West On true line Between Secs. 27. & 34. T. 7. S. R. 6. W.
 40. 34 A Dogwood 5 in. diam. for G^r Sec. corner

T. 7. S. R. 6. W. 2nd Mer.

South Between Secs. 33. & 34. T. 7. S. R. 6. W.

40. 00 Set a G^o Sec Post where a W. Oak 21. in. diam. bears
N. W. 16. lbs. dist. & a Dogwood 7. in. diam. bears S. 67. E. 12. lbs.

66. 00 A Creek 40. lbs. wide. Course S. 40. E.

78. 00 Intersected the corner 40 lbs. W. of the Post. Corner to
Secs. 3. & 4. in Town 5. Set a Post from which a W. Oak
14. in. diam. bears N. 59. W. 14. lbs. dist. & a B. Oak 26. in. in
diam. bears S. 35. E. 44. lbs. dist. Rolling Upland;

West. On true line between Secs. 28. & 33.

40. 00 A G^o Sec Post from which a Dogwood 5. in. diam. bears
South 16. lbs. dist. & a C^o 7. in. diam. bears North 30. lbs. dist.

South Between Secs. 32. & 33 T. 7. S. R. 6. W.

+. 00 A Creek 13 lbs. wide; Course E.

38. 30 A Creek 24 lbs. wide. Course N. 30 E.

40. 00 A Dogwood 6. in. diam. for G^o Sec. corner.78. 50 On the Town line Set Post corner to Secs. 4 & 5. T. 8. S. &
Secs. 32. & 33. in Town 7. S. R. 6. W. which is *Boggywood*
8 in. diam. The 1st half. Creek Mts. Clay Soil. The 2nd.
half Poor ridges. very bushy.

West On true line Between Secs. 29 & 33. T. 7. R. 6. W.

39. 69 A G^o Sec Post from which a Dogwood 7. in. diam. bears N.
6. E. 11. lbs. dist. & a W. Oak 20. in. diam. bears S. 35. W. 30. lbs.

South Between Secs. 31. & 32.

34. 40 A Dry run 12 lbs. wide. Course S. 60. W.

40. 00 A G^o Sec Post from which a Sassafras 8 in. diam. bears
N. 32. E. 4. lbs. dist. & a W. Oak 30. in. diam. bears S. 5. E. 5. lbs. dist.
& a W. Oak 30. in. diam. bears N. 33. W. 4. lbs. dist.

63. 50 A Run 18. lbs. wide. Course S. 80. W. no water.

79. 00 Hit the Post on Town line.

East Random line on the S. side of Sec. 31. Between Towns 7.
& 8. South R. 6. W.59. 97 A Temporary G^o Sec Post.

99. 27 A Temporary Tree Post. - A Brushy dry Barren ridge

East On Random line S. side of Tre. 33.

40. 00 A Temporary Off Tre. Post

50. 00 A Temporary Tree Post. The Land same as above. Oct. 21st 1805

East On a Random line on the S. side of Tre. 33.

40. 00 A Temporary Off Tre. Post.

50 00 A Temporary Tree Post. Hilly Land Timber Oak &c.

East On a Random line South side of Tre. 34. T. 7. S. B. 6. W.

34. 50 A Run 30. lks. wide, Course N.

40. 00 A Temporary Off Tre. Post.

50. 00 Full S. of the Post 125. lks.

East On the S. side of Tre. 35. Town 7. South Range 6. West.

17. 00 A ledge of Rocks. 50. lks. N. of the Post. line 20. feet Perpendicular
Same Broken. to the River.

21. 50 A Creek 60. lks. wide, Course S.

31. 00 Ohio River. An Elm 14. in. diam. for corner. The 1st part
Broken, land; The last Post good Bottom, rich soil. Walnut. Sugar

West On true line. S. side of Tre. 34. T. 7. S. B. 6. W.

40. 00 A Off Tre. Post from which a Birch 11. in. diam. bears N. 30.
W. 27. lks. dist. & an Elm 11. in. diam. bears S. 46. E. 28. lks. dist.

50. 00 A Sycamore 16. in. diam. for Tre. Corner.

West On true line on the S. side of Tre. 33.

40. 00 Set a Off Tre. Post from which a Dogwood 7. in. diam. bears
S. 61. E. 5. lks. dist. & a W. Oak 18. in. bears N. 71. W. 21. lks. dist.

50. 00 Set Post corner to Tre. 3. & 4. Town 6. S. B. 6. E. where a Box
wood 8. in. diam. is corner.

West On true line South side of Tre. 33.

40. 00 A Off Tre. Post where a Hickory 14. in. diam. is corner.

50. 00 Set a Post from which a Dogwood 6. in. diam. bears W. 10. lks. dist.

T. 7. S. R., R. 6. W. 2nd Mer.

West On true line S. side of Sec. 31. T. 7. S. R. 6. W.
 40. 00 A Spr. Sec. Post from which a W. Oak 11. in. diam. bears N.
 10. lbs. dist. & a W. Oak 13. in. diam. bears S. 46. lbs. dist.
 99. 60 To Post corner to Towns 7. & 8. S. R. 6. W. Oct. 22. 1805.

Surveyed by Augustus Stone.

West On true line Between Sec. 15. & 22.
 40. 00 Set a Post from which a Birch 11. in. diam. bears N. 41.
 E. 29. lbs. dist. & a Do 16 in. diam. bears S. 1/4 N. W. 25. lbs.

I Certify that the foregoing transcript of field notes of Township N.
 7 South, of Range N. 6. W. 2nd Mer. Indiana, has been compared
 with the original notes, in this office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 1. 1839

W. S. Peaine Sur. Genl.

N. 73. E	15. 00	
N. 65. E	3. 50	Corner to Sec. 28. & 29.
N. 64. E	16. 60	
N. 59. E	9. 46	
N. 52. E	16. 29	
N. 48. E	19. 11	
N. 55. E	17. 14	
N. 51. E	8. 00	Corner to Sec. 27. & 28.
N. 51. E	8. 38	
N. 45. E	21. 50	The Upper Part of a Island.
N. 39. E	16. 00	Corner to Sec. 22. & 27.
N. 35. E	38. 80	
N. 19. E	41. 36	Corner to Sec. 15. & 22.
N. 14. E	23. 25	
N. 22. E	18. 28	
N. 19. E	14. 50	
N. 13. E	31. 50	Corner to Sec. 10. & 15.
N. 12. E	3. 20	Corner to Sec. 10. & 11.
N. 16. E	36. 75	
N. 8. E	35. 00	
N. 5. E	6. 90	Corner to Sec. 2. & 11.
N. 14. E	5. 00	
N. 8. E	46. 00	
N. 13. E	29. 11	Corner to Sec. 2. & 8. & 9. & 35. & 7. & 9.

Monclus of T. 7. South Range 6. West.

N. 19. E	30. 65	
N. 17. E	13. 00	
N. 14. E	7. 70	
N. 12. E	25. 38	
N. 4. E	5. 35	Corner to Sec. 26. & 35.
North	13. 69	
N. 6. W	12. 00	The mouth of a creek; good water
N. 6. W	9. 82	
N. 13. W	23. 00	A ledge of Rocks extending down the River for 5. chains 60. feet high.
N. 13. W	5. 28	

T. 7 S. 6. R. 6. W. 2nd Mer.

N 58. W 4. 15

N 15. W 8. 20

N 5. W 12. 71

N 7. E 18. 40

N 22. E 26. 54

N 34. E 25. 06

N 29. E 2. 50 Corner to Sec. 14 & 23.

N 52. E 2. 80

N 42. E 32. 00 A 24 chain & 14 lbs. Corner to Sec. 13 & 14

N 51. E 30. 54

N 55. E 33. 53

N 55. E 10. 00

N 53. E 11. 00

N 55. E 3. 90 Corner to Sec. 13. on E. Range line. Oct. 30th 1805.Measured the Ohio at the S. W. corner of Sec. 13.
in T. 7. R. 6. & found it to be 39. ch. & 56. lbs wide.

& at the S. E. corner of the same 44. N. & 09. lbs wide

Surveyed by Augustus Stone, U. S.

I certify that the foregoing transcript of field notes of Township
N. 8 South, of Range N. 6 W. 2nd Mer. Indiana, has been compared
with the original notes in this office, and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 1st 1839

W. S. Peckins Sur. Genl.